

# Inhaler technique Breezhaler

				ENERZAIR
onbrez: breezhaler	<b>seebri</b> breezhaler	ultibro breezhaler	ATECTURA' breezhaler*	breezhaler*
	5		*	
*	() NOVARTIS	& NOVARTIS		& NOVARTIS

**Patient information** 

### **Breezhaler**

1	Pull off the mouthpiece cover. Hold the base firmly and tilt the mouthpiece backwards to open the capsule chamber.
2	Remove one capsule from the blister by peeling the backing away.
	The capsule contains medication in a dry powder. Do not swallow the capsule.
	Place the capsule in the capsule chamber. Close the mouthpiece until you hear a click.
3	Hold the inhaler upright with the mouthpiece pointing up Press both side buttons to pierce the capsule; you should
	hear a click Release the side buttons.
4	Breathe out as far as possible and away from the Breezhaler.
5	Put the mouthpiece in your mouth and seal your lips firmly around the mouthpiece.
6	Breathe in as quickly and deeply as you can. You will hear a whirring noise as you breathe in
	Take the inhaler from your mouth and hold your breath for up to 10 seconds. Then breathe out slowly
	If your inhaler contains a steroid ingredient, you should rinse your mouth with water or brush your teeth after using it; this is to prevent infections such oral thrush.
7	Open the inhaler and see if there is any powder left in the capsule. If there is, close the inhaler and repeat steps 4-7
	Remove the empty capsule and place in your household waste. Close the inhaler and replace the mouthpiece cover.

### What's inside the box?





1. Breezhaler device with removal cover



2. Medication as a dry powder in blister packaging

### Looking after your Breezhaler

- Keep your inhaler dry and never wash it with water
- Wipe the mouthpiece inside and outside with a clean, dry, lint-free cloth to remove any powder residue
- Store the capsules in the original blister packaging. This will protect them from light and moisture
- Remove the capsule immediately before use.

## What if my inhaler did not make a noise when I inhaled?

The capsule may be stuck in the capsule chamber. If this happens, loosen the capsule by tapping the base of the inhaler. Inhale the medicine from Step 5.

### What if there is powder left inside the capsule?

You have not received enough of your medicine. Inhale the medicine from Step 5.

#### References

- 7 Steps to Success Inhaler Technique (2014) (adapted)
- Asthma UK 'How to use your inhaler' videos Available at: https://www.asthma.org.uk/advice/inhaler-videos/
- Chest Heart and Stroke Scotland "My Lungs My Life" videos. Available at: https://youtube.com/playlist?list=PLhiaAMAGIBpe9RxC6KB3cnfykZq7CjSbD
- 'Getting the basics right Inhaler Technique' Primary Care Respiratory Society (2016).

### For further support and information, please contact:

Royal Sussex County Hospital **COPD Nurse Specialist: 01273 523109** Worthing Hospital **Respiratory Nurse Specialists: 01903 205111 Ext. 85858** St Richard's Hospital **Respiratory Nurse Specialists: 01243 788122 Ext. 32395** 

You can also contact your community pharmacist or practice nurse for advice.

Prepared by Ameet Vaghela (Lead Pharmacist for Respiratory & Allergy Services, UHS) and Debbie Eaton (Respiratory Nurse Specialist, UHS)

Ref. No. 2067 Publication date: 10/2021 Review date: 10/2024

© University Hospitals Sussex NHS Foundation Trust Disclaimer: The information in this leaflet is for guidance purposes only and is in no way intended to replace professional clinical advice by a qualified practitioner.

