

How do I use my crutches (Non weight bearing)?

Physiotherapy department

This leaflet gives general information. You must always discuss your individual treatment with the appropriate member of staff. Do not rely on this leaflet alone for information about your treatment. This information can be made available in other languages and formats if requested.

What does non weight bearing mean?

Walking 'non-weight bearing' means that the injured or affected leg does not touch the ground whilst standing, walking or getting up from sitting.

How do I stand up?

- Hold both crutches in one hand.
- Lean forward and push up on crutches and the opposite arm of the chair.
- Make sure you are well balanced.
- Once standing put your arms into the crutches securely and get your balance.

How do I walk with crutches?


- From standing position, put crutches forward keeping your arms straight and close to your sides.
- Lean forward on to crutches.
- Hop forward with your weight bearing leg so your foot is level with the crutches.
- Recover your balance between each step.
- Make sure crutches are not too far apart, too far forward or too far back.

How do I sit down again?

- Walk up to the chair using your crutches and turn round using small steps until you feel the chair with the back of your legs.
- **DO NOT** swivel round.
- Make sure the chair is not likely to move and that you are well balanced.
- Take both arms out of crutches, hold them in one hand on one side.
- Reach for the chair with your free hand and sit down slowly.

How do I go upstairs?

- Hold onto a handrail when possible.
- Hold the spare crutch together with the handle of the remaining crutch.
- Keep the injured leg off the floor and behind you.
- Step up one step with your non-affected leg.
- Bring your crutches up to the same step and then repeat as needed.



How do I go downstairs?

- Hold onto a handrail when possible.
- Hold the spare crutch together with the handle of the remaining crutch.
- Keep the injured leg off the floor and in front of you.
- Place the crutch on the next step down.
- Then bring the unaffected leg down to the same step and repeat as needed.

Be Aware

Avoid wet floors, outdoor hazards such as wet leaves and ice.

Wear flat supportive shoes.

Check the rubber ferrules on bottom of crutches for wear and tear before each use.

Contact details

Paediatric Physiotherapy Department

Royal Alexandra Children's Hospital

Eastern Road, Brighton BN2 5BE

01273 523153

**Today's research is tomorrow's treatments.
That's why UHSx is proud to be a research-active Trust.**

Find out how you can get involved. Visit our website

**[www.uhsussex.nhs.uk/research-and-innovation/
information-for-patients-and-public](http://www.uhsussex.nhs.uk/research-and-innovation/information-for-patients-and-public)**

or scan the QR code



Ref. number: 2504

Publication date: 04/2025

Review date: 04/2028

© University Hospitals Sussex NHS Foundation Trust Disclaimer:

The information in this leaflet is for guidance purposes only and is in no way intended to replace professional clinical advice by a qualified practitioner.

