
NHS

# ASSESSMENT



# SUDDEN SENSORINEURAL HEARING LOSS (SSNHL) PATHWAY

A&E

SSNHL picked up in community audiology... Provide patient with copy of audiogram Request patient attend A&E

If no other confoundings (e.g.no evidence of stroke or other illness) call ENT SHO For review and to discuss +/- receive steroids

#### Weber's Test Tuning Fork Reminder:

In SSNHL -> Place tuning fork on vertex of skill un midline, sound will localise to other ear In Conductive HL -> sound localise to same (affected/bad) ear

## Wax Impaction on Otoscopy?

History and Webers test consistent with ?SSNHL

Action - GP / A&E: start Steroids, information leaflet (see page 2)

Refer to ENT SHO on-call for review in Emergency clinic at Day 7.

#### **Tuning Fork Test Unreliable?**

If suspicious for SSNHL but tuning fork not heard by patient or doesn't lateralise on Weber's then...

GP / A&E to start steroids (see page 2)

AND refer to ENT SHO on-call for urgent review

(within 72 hours)

#### **ASSESSMENT**

Features of SSNHL in bold\*

Take History
Unprovoked, Sudden, Painless

Otoscopy

GP

Normal Tympanic Membrane (or difficult to see with Ear Wax)

Neuro Exam Normal

Weber's Test (512 Hz Fork) Lateralises to other (good) ear

YES to ALL?

YES to NONE?

 $\square$ 

 $\square$ 

, 20 10 110 112.

#### SUDDEN V GRADUAL HEARING?

SUDDEN - drops <3 days GRADUAL - over months/occured >4wks ago

UNLIKELY TO CONSIDER TREATMENT

### Otoscopy Findings Abnormal?

e.g. Otitis Media / Otitis Externa Treat as per GP / A&E expertise

Neuro Conditions/Abnormal Neuro Exam?
e.g. Stroke
Treat as per GP / A&E expertise

Consider ALTERNATIVE DIAGNOSIS?

YES to SOME?

NHS

## **DIAGNOSIS**

Likely SSNHL?

GP / A&E to start PO Prednisolone (see dose regime)
Please also provide Patient leaflet (see QR code)

AND

Refer to ENT SHO on-call to book Emergency clinic appointment 7 days from when treatment started by GP / A&E

Emergency clinic review (and audiogram) within 72 hours for unclear Tuning Fork Test Results



<u>Intratympanic injections to treat sudden hearing loss -</u> <u>University Hospitals Sussex NHS Foundation Trust</u>

Please provide patient information leaflet

Emergency clinic review 7 days after steroid started

#### Oral Prednisalone dose regime in SSNHL:

1mg / Kg (Max 60mg daily) for 7 days, with taper.

Typical adult regime would be:

Day 1 → 7	60mg
Day 8	50mg
Day 9	40mg
Day 10	30mg

Day 11	20mg
Day 12	10mg
Day 12	STOP

**Benefits**: Increases the likelihood of recovery. Spontaneous recovery untreated is 30-68%. Roughly doubled (in some studies) with Steroid treatment.


**Risks**: Abdominal discomfort, mood changes, bruising, High Glucose (extra care in diabetics), Avascular necrosis of hip (0.2%)

**Risk of NO steroids:** maximum benefit from steroids obtained the sooner they are started preferably within 72 hours.

Minimal / no benefit if started after 1 month.

**Who to Treat:** Certainly any patient with >30dbHL in 3 frequencies presenting within 1 month of loss

For patients with >10-15dbHL in 2 frequencies ideally we would want to start treatment, but balance against other co-morbidities. **Discuss with red registrar if unsure.** 



# Clinical Pathway 12129 governance and approval

Owner	Mr Andrew Moore	
Author/further information	Dr Syed Ammar Husain (Academic FY2), Dr Robert Grounds (ENT Consultant), Ms Katy Bishop (Audiologist)	
Pathway Version	Otolaryngology Sudden Sensorineural Hearing Loss Flowchart for A&E and GP Clinicians.	
	https://www.nice.org.uk/guidance/ng98 - NICE (1.4.1, 1.5.3)	
Related policies	https://www.entuk.org/_userfiles/pages/files/guidelines/SSNHL%20SSO.pdf - Management of suspected unilateral idiopathic sudden sensorineural hearing loss in adults	
	https://www.uhsussex.nhs.uk/resources/what-to-do-if-you-have-a-sudden-change-in-hearing/ - Audiology SNNHL Leaflet	
Related documents	https://www.uhsussex.nhs.uk/resources/intratympanic-injections-to-treat-sudden-hearing-loss/ - Steroid injections SSNHL patient leaflet	
Standards	ENT UK , NICE Guidelines	
Superseded documents	N/A	
Review due	3 years from ratification date	

# **Approval**

ENT QSPE (Quality, Safety and Patient Experience) Clinical Governance Meeting	Date approved:	21/03/2024	
Audiology divisional (Manuel Loureiro – Head of Audiology)	Date approved:	28/11/2024	

Clinical Pathway 12129 **Due for review: March 2028** Name of Pathway: Suspected Sudden Sensorineural hearing loss (SSNHL) - ENT Flowchart for GP, A&E and ENT clinicians **For use at: RSCH, PRH, GP around UHSussex Trust** 

<b>^</b>				•
l : c	ons	1111	rati	ınn
v	) I I I	ч	.aı	IVII

Otology subspecialist consultants	Date approved: 18/09/2024	
-----------------------------------	---------------------------	--

## Ratification

Clinical Document Approval Group	Date approved:	11/3/25
----------------------------------	----------------	---------

## Pathway version control log

Version	Date	Author(s)	Comment
1	06/03/2025	Dr Syed Ammar Hussain	